EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	59	increment$3 near3 (count$2 or register) near6 (buffer or cache) near3 (full or exceed$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 10:52
L3	17	2 and (timer or (timing near2 signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:22
L4	6	(timer or (timing adj2 signal)) with network with (repartition$3 or re-partition$3 or allocat$4 or re-allocat$4 or reallocat$4) near4 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:25
L5	81	(timer or (timing adj2 signal)) with (repartition$3 or re-partition$3 or allocat$4 or re-allocat$4 or reallocat$4) near4 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:27
L6	35	(timer or (timing adj2 signal)) with (repartition$3 or re-partition$3 or allocat$4 or re-allocat$4 or reallocat$4) near4 (buffer or cache) and counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:26
L7	44	timer near6 (repartition$3 or re-partition$3 or allocat$4 or re-allocat$4 or reallocat$4) near4 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:27
L8	0	timer near6 (repartition$3 or re-partition$3 or re-allocat$4 or reallocat$4) near4 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:27
L9	1	(timer or (timing adj2 signal)) with (repartition$3 or re-partition$3 or re-allocat$4 or reallocat$4) near4 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:28

EAST Search History

L10	1	signal near6 (repartition$3 or re-partition$3 or re-allocat$4 or reallocat$4) near4 (buffer or cache) with tim$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:29
L11	11	signal near6 (repartition$3 or re-partition$3 or re-allocat$4 or reallocat$4) near6 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:47
L14	39	(signal or indicat$4 or trigger$3) near6 (repartition$3 or re-partition$3 or re-allocat$4 or reallocat$4) near6 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:33
L15	414	signal near6 (repartition$3 or re-partition$3 or re-allocat$4 or reallocat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:48
L16	13	signal near6 (repartition$3 or re-partition$3 or re-allocat$4 or reallocat$4) near3 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:53
L17	491	signal adj3 (partition$3 or partition$3 or allocat$4 or allocat$4) near3 (buffer or cache or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:54
L18	1	signal adj3 (partition$3 or partition$3 or allocat$4 or allocat$4) near3 (buffer or cache or memory) with timer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:55
L19	16	signal adj3 (partition$3 or partition$3 or allocat$4 or allocat$4) near3 (buffer or cache or memory) with counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:57

EAST Search History

L20	15	(timing near2 signal) near6 (partition$3 or partition$3 or allocat$4 or allocat$4) near3 (buffer or cache or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 12:02
L21	139	(timer) near6 (partition$3 or partition$3 or allocat$4 or allocat$4) near3 (buffer or cache or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 12:31
L23	90	(timer) near3 (partition$3 or partition$3 or allocat$4 or allocat$4) near3 (buffer or cache or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 12:06
L24	26	(timer) near3 (partition$3 or partition$3 or allocat$4 or allocat$4) near3 (buffer or cache or memory) and counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 12:03
L25	8	23 and 711/???.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 12:31
L26	36	(timer) near6 (???partition$3 or ???allocat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 12:33
L27	30	(counter) near6 (???partition$3 or ???allocat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 12:31
L28	1091	(timer) near6 (partition$3 or allocat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 12:33

EAST Search History

L29	22	(timer) near6 (re-partition$3 or re-allocat$4 or repartition$3 or reallocat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 12:45
L30	4	infiniband host channel adaptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 12:47
L31	20	infiniband and (host channel adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 12:47
L32	16	31 not 30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 12:47
S11 3	22229	(allocat$4 or re-allocat$4 or reallocat$4) near8 (capacity or usage or use or utiliz$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 08:49
S11 4	976	(allocat$4 or re-allocat$4 or reallocat$4) near8 (capacity or usage or use or utiliz$5) with (partition$3 or region or section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 08:50
S11 5	37	(re-allocat$4 or reallocat$4) near8 (capacity or usage or use or utiliz$5) with (partition$3 or region or section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 10:51

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S83	108123	IBM.as. or (INTERNATIONAL BUSINESS MACHINES).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 10:43
S85	85	(virtual lane) and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 10:44
S86	80	(virtual lane) and (buffer or store or cache) and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 10:44
S87	21	((virtual lane) and (divid$3 or partition$3 or split$4 or portion or section or division or parting) near4 (buffer or store or cache)) and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 10:51
S88	114	(dymanic$4 or automatic$4 or auto or auto- or self or self-) with (adjust$3 or divid$3 or partition$3 or split$4 or portion or section or division or parting) with (buffer or store or cache) and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 12:21
S89	6	(dymanic$4 or automatic$4 or auto or auto- or self or self-) with (adjust$3 or divid$3 or partition$3 or split$4 or portion or section or division or parting) with (buffer or store or cache) with (capacity or utiliz$5) and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 11:00
S90	9	(dymanic$4 or automatic$4 or auto or auto- or self or self-) with (adjust$3 or divid$3 or partition$3 or split$4 or portion or section or division or parting) with (buffer or store or cache) with (capacity or utiliz$5 or use or usage) and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 11:04

EAST Search History

S92	3	S90 not S89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 11:00
S93	375	(dymanic$4 or automatic$4 or auto or auto- or self or self-) with (adjust$3 or divid$3 or partition$3 or split$4 or portion or section or division or parting) with (buffer or store or cache) with (capacity or utiliz$5 or use or usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 11:07
S94	71	(dymanic$4 or automatic$4 or auto or auto- or self or self-) near6 (adjust$3 or divid$3 or partition$3 or split$4 or portion or section or division or parting) near6 (buffer or store or cache) with (capacity or utiliz$5 or use or usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 11:32
S95	387	711/129.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 11:32
S96	112	(dymanic$4 or automatic$4 or auto or auto- or self or self-) and (adjust$3 or divid$3 or partition$3 or split$4 or portion or section or division or parting) and(buffer or store or cache) and (capacity or utiliz$5 or use or usage) and S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 11:34
S97	5	((dymanic$4 or automatic$4 or auto or auto- or self or self-) same (adjust$3 or divid$3 or partition$3 or split$4 or portion or section or division or parting) same (buffer or store or cache) same (capacity or utiliz$5 or use or usage)) and S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 11:37
S98	5	((dymanic$4 or automatic$4 or auto or auto- or self or self-) same (adjust$3 or divid$3 or partition$3 or split$4 or portion or section or division or parting) same (buffer or store or cache) same (capacity or utiliz$5 or use or usage)) and 711/130.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 11:41

S10 0	23	((dymanic$4 or automatic$4 or auto or auto- or self or self-) same (adjust$3 or divid$3 or partition$3 or split$4 or portion or section or division or parting) same (buffer or store or cache) same (capacity or utiliz$5 or use or usage)) and (711/170.ccls. or 711/173.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 11:47
S10 1	4	((dymanic$4 or automatic$4 or auto or auto- or self or self-) same (adjust$3 or divid$3 or partition$3 or split$4 or portion or section or division or parting) same (buffer or store or cache) same (capacity or utiliz$5 or use or usage)) and (711/153.ccls. or 711/165.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 11:48
S10 2	0	((dymanic$4 or automatic$4 or auto or auto- or self or self-) same (adjust$3 or divid$3 or partition$3 or split$4 or portion or section or division or parting) same (buffer or store or cache) same (capacity or utiliz$5 or use or usage)) and (710/??????.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 11:52
S10 3	4713	(adjust$3 or divid$3 or partition$3 or split$4 or part$3) near6 (buffer or store or cache) near8 (capacity or utiliz$5 or use or·usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 11:53
S10 4	69	(adjust$3 or divid$3 or partition$3 or split$4 or part$3) near6 (buffer or store or cache) near8 (capacity or utiliz$5 or use or usage) and (711/129.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 12:43
S10 6	1289	((adjust$3 or divid$3 or partition$3 or split$4 or part$3) near6 (buffer or store or cache) near8 (capacity or utiliz$5 or use or usage)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 12:22
S10 7	119	((adjust$3 or divid$3 or partition$3 or split$4 or part$3) near6 (buffer or store or cache) near8 (capacity or utiliz$5 or use or usage)).ab. and (timer or count$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 12:23

EAST Search History

S10 8	4120	(adjust$3 or divid$3 or partition$3 or split$4 or part$3) near6 (buffer or store or cache) and (allocat$4 or realloc$4 or re-alloc$4 or assign$3 or reassign$3 or re-assign$3) near6 (capacity or utiliz$5 or use or usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 12:46
S10 9	91	(adjust$3 or divid$3 or partition$3 or split$4 or part$3) near6 (buffer or store or cache) with (allocat$4 or realloc$4 or re-alloc$4 or assign$3 or reassign$3 or re-assign$3) near6 (capacity or utiliz$5 or use or usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 12:47
S11 0	32	S109 and monitor$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 12:47